

INDEX AND GLOSSARY TO DRAGONFLIES OF INDIANA.

	Page.
abbreviations	243
<i>abbreviatus</i>	294
abdomen, pl. IV, fig. 1.	
abdominal appendages, pl. IV, fig. 1, and pls. V, VI and VII.	
abdominal segments, pl. IV, fig. 1.	
accessory genital organs, pl. VII, figs. 18, 19, 20 and 21	236
<i>aequalis</i>	252
<i>Aeschna</i> , 303; <i>clepsydra</i> , 304, 305; <i>constricta</i> , 234, 241, 304, 305; <i>cyanea</i> , 234; <i>verticalis</i>	304, 305
<i>Aeschnidae</i>	247
<i>Aeschninae</i>	248
<i>Agriionidae</i>	247
<i>Agriioninae</i>	247
<i>albifrons</i>	323
<i>americana</i>	240, 253, 254, 255
<i>amnicola</i>	294
<i>Amphiagron</i> , 267; <i>saucium</i> , 267; <i>discolor</i>	267
anal angle, the angle between the anal and posterior margins of the wing.	
anal margin, the edge of the wing posterior to the origin of the postcosta, in direction almost at right angles to the long axis of the wing.	
<i>Anax</i> , 305; <i>junius</i> , 235, 240, 305, 306; <i>longipes</i>	306
<i>angustipennis</i>	253
Anisoptera	247
<i>annulata</i>	309
<i>Anomalagrion</i> , 280; <i>hastatum</i>	280
anteclypeus, pl. IV, figs. 3 and 4.	
antecubital, pls. I, II and III.	
antenna, pl. IV, figs. 1 and 3.	
<i>antennatum</i>	269, 274, 275
antenodal cells, pl. I.	
anterior lamina, pl. VII, figs. 18, 19, 20 and 21.	
<i>antelope</i>	302
apical spine, ventral, on 8, pl. IV, fig. 7.	
<i>apicalis</i> (<i>Argia</i>)	262, 264
<i>apicalis</i> (<i>Calopteryx</i>)	253
appendages, see abdominal appendages.	
arculus, pls. I, II and III.	
<i>Argia</i> , 260; <i>apicalis</i> , 262, 264; <i>fontium</i> , 263; <i>fumipennis</i> , 262; <i>putrida</i> , 261, 262, 263, 264; <i>sedula</i> , 262, 263; <i>tibialis</i> , 262, 263; <i>violacea</i> , 236, 262, 263, 326	

	Page.
<i>aspersum</i>	269, 271, 272
<i>assimilatum</i>	322
auricle, a tubercle on the side of the second abdominal segment.	
<i>auripennis</i>	235, 329
authors	238
basal postcostal vein, pl. I.	
<i>basalis</i> (<i>Hetaerina</i>)	254
<i>basalis</i> (<i>Libellula</i>)	329
<i>Basiaeschna</i> , 301; <i>janata</i>	301
basilar space, pls. I, II and III.	
<i>bella</i>	327
<i>Boyeria</i> , 300; <i>quadriguttata</i> , 300; <i>vinosa</i>	300
<i>brevis</i>	294
<i>brevistylus</i>	282
Calopteryginae	247
<i>Calopteryx</i> , 251; <i>aequalis</i> , 252; <i>angustipennis</i> , 253; <i>apicalis</i> , 253; <i>dimidiata</i> , 252; <i>elegans</i> , 253; <i>maculata</i>	241, 251, 252, 253, 265
carina, a keel-like ridge.	269, 270
<i>carunculatum</i>	316
<i>carolina</i>	320
<i>Celithemis</i> , 318; <i>elisa</i> , 318, 319; <i>eponina</i> , 318, 320; <i>fasciata</i>	269, 270, 271
<i>civile</i>	234
classification	304, 305
<i>clepsydra</i>	239
clypeus, pl. IV, figs. 3, 4 and 5.	265
collecting and preserving.	256
<i>conditum</i>	234, 241, 304, 305
<i>congener</i>	235, 299, 300
<i>constricta</i>	248
<i>Cordulegaster</i> , 299; <i>erroneus</i> , 299; <i>obliquus</i>	249
<i>Cordulegasterinae</i>	321, 324
<i>Cordulinae</i>	
<i>corruptum</i>	321, 324
costa, pls. I, II and III.	
coxa, pl. IV, figs. 2 and 6.	288, 290
<i>crassus</i>	288, 290
crossed, with cross veins.	
<i>cyanea</i> (<i>Aeschna</i>)	234
<i>cyanea</i> (<i>Libellula</i>).	330
<i>cynosura</i>	310, 311
<i>deplanata</i>	331
<i>descriptus</i>	293
<i>Didymops</i> , 307; <i>transversa</i>	307
<i>dilatatus</i>	286
<i>dimidiata</i>	262
<i>discolor</i>	267
<i>disjunctus</i>	258, 259

	Page.
<i>divagans</i>	269, 272, 273
<i>domitia</i>	235, 317
<i>doubledayi</i>	268, 269
<i>Dromogomphus</i> , 296; <i>spinosus</i> , 296; <i>spoliatus</i>	297
<i>ebrium</i>	269
<i>elegans</i>	253
<i>elisa</i>	318, 319
<i>Enallagma</i> , 267; <i>antennatum</i> , 269, 274, 275; <i>aspersum</i> , 269, 271, 272; <i>carunculatum</i> , 269, 270; <i>civile</i> , 269, 270, 271; <i>divagans</i> , 269, 270, 273; <i>doubledayi</i> , 268, 269; <i>ebrium</i> , 269; <i>exsulans</i> , 269, 274; <i>fischeri</i> , 274; <i>geminatum</i> , 269, 272, 273, 280; <i>hageni</i> , 269, 270, 272; <i>piscinarium</i> , 269, 273; <i>pollutum</i> , 269, 272, 276; <i>signatum</i> , 269, 275, 276, 277, 280; <i>traviatum</i>	269, 271
endophytic oviposition	236
<i>Epieschna</i> , 302; <i>heros</i> , 241, 302; <i>multicincta</i>	303
<i>Epicordulia</i> , 310; <i>princeps</i>	310
epistoma, same as clypeus.	
<i>eponina</i>	318, 320
<i>erroneus</i>	299
<i>Erythromma</i> , 264; <i>conditum</i>	265
<i>eurinus</i>	256
<i>exilis</i>	284, 293
exophytic oviposition	236
<i>exsulans</i>	269, 274
external genital organs, see accessory genital organs.	
external hamular branch, pl. VII, figs. 18, 19, 20 and 21.	
<i>externus</i>	288, 289
<i>exusta</i>	327, 331
<i>exuvia</i>	235
eye, pl. IV, figs. 3, 4 and 5.	
<i>fasciata</i>	320
femur, pl. IV, fig. 2.	
<i>filosa</i>	313
first lateral suture, pl. IV, fig. 6.	
<i>fischeri</i>	274
<i>flavescens</i>	237, 315
<i>fluvialis</i>	294
<i>fontium</i>	263
<i>forcipata</i>	257
<i>forcipatus</i>	258, 259
<i>fraternus</i>	288, 289, 290
free, without cross veins.	
<i>frigida</i>	320
frons, pl. IV, figs. 3 and 5.	
frontal vesicle, same as vertex.	
<i>fumipennis</i>	262
<i>furcifer</i>	292
<i>furcillata</i>	241, 302

	Page.
<i>geminatum</i>	269, 272, 273, 280
<i>gena</i> , pl. IV, figs. 3 and 4.	
genital lobe, pl. VII, figs. 18, 19, 20 and 21.	
genital valve, pl. IV, fig. 7	236
geographical range	237
geological range	237
<i>georgina</i>	307
<i>glacialis</i>	320
<i>Gomphaeschna</i> , 301; <i>antelope</i> , 302; <i>furcillata</i>	241, 302
<i>Gomphinae</i>	248
<i>Gomphus</i> , 283; <i>abbreviatus</i> , 294; <i>amnicola</i> , 294; <i>brevis</i> , 294; <i>crassus</i> , 288, 290; <i>descriptus</i> , 293; <i>dilatatus</i> , 286; <i>exilis</i> , 284, 293; <i>externus</i> , 288, 289; <i>fluvialis</i> , 294; <i>fraternus</i> , 288, 289, 290; <i>furcifer</i> , 292; <i>graslinellus</i> , 290; <i>lividus</i> , 292; <i>minutus</i> , 292; <i>notatus</i> , 294, 295; <i>pallidus</i> , 291; <i>pilipes</i> , 291; <i>plagiatus</i> , 294, 295; <i>quadricolor</i> , 288; <i>segregans</i> , 296; <i>sordidus</i> , 292, 293; <i>spicatus</i> , 292, 307; <i>spiniceps</i> , 284, 295; <i>umbratus</i> , 292; <i>vastus</i> , 287, 288; <i>ventricosus</i> , 287; <i>villosipes</i>	291
<i>graslinellus</i>	290
<i>hageni</i>	269, 270, 272
<i>Hagenius</i> , 282; <i>brevistylus</i>	282
<i>hamata</i>	257, 258
hamule, pl. VII, figs. 18, 19, 20 and 21.	
<i>hastatum</i>	280
head, pl. IV, figs. 1, 3, 4 and 5.	
<i>heros</i>	241, 302
<i>Hetaerina</i> , 253; <i>americana</i> , 240, 253, 254, 255; <i>basalis</i> , 254; <i>scelerata</i> , 255; <i>tricolor</i>	255
humeral suture, pl. IV, fig. 6.	
<i>hymenaea</i>	315
<i>illinoiensis</i>	241, 297, 307, 308, 309
<i>imago</i>	235
<i>ineesta</i>	330
<i>inequalis</i>	260
<i>intacta</i>	321
internal hamular branch, pl. VII, figs. 18, 19, 20 and 21.	
internal triangle, pls. II and III.	
<i>irene</i>	265
<i>Ischnura</i> , 277; <i>kelllicotti</i> , 277, 279; <i>verticalis</i>	236, 240, 267, 277, 278, 279
<i>janata</i>	301
<i>junius</i>	235, 240, 305, 306
<i>kelllicotti</i>	277, 279
labium, pl. IV, fig. 4.	
labrum, pl. IV, figs. 3, 4 and 5.	
<i>lacerata</i>	315, 316

	Page.
larva, see nymph	234
lateral suture, pl. IV, fig. 6.	
<i>lateralis</i>	311
leg, pl. IV, figs. 1 and 2.	
<i>Lestes</i> , 255; <i>congener</i> , 256; <i>disjunctus</i> , 258, 259; <i>eurinus</i> , 256; <i>forcipata</i> , 257; <i>forcipatus</i> , 258, 259; <i>hamata</i> , 257, 258; <i>inequalis</i> , 260; <i>rectangularis</i> , 259; <i>uncatus</i> , 257; <i>unguiculatus</i> , 257; <i>vigilax</i>	259, 260, 326
<i>Leucorhinia</i> , 320; <i>frigida</i> , 320; <i>glacialis</i> , 320; <i>intacta</i> , 321; <i>proxima</i>	320
<i>Libellula</i> , 327; <i>auripennis</i> , 235, 329; <i>basalis</i> , 329; <i>cyanea</i> , 330; <i>deplanata</i> , 331; <i>exusta</i> , 327, 331; <i>incesta</i> , 330; <i>lydia</i> , 330; <i>luctuosa</i> , 329; <i>pulchella</i> , 236, 237, 240, 332, 333; <i>quadrinaculata</i> , 241, 331; <i>quadrupla</i> , 330; <i>semifasciata</i> , 332; <i>vibrans</i>	330
<i>Libellulidæ</i>	248
<i>Libellulinae</i>	249
<i>libera</i>	314
life history	234
<i>linearis</i>	313, 314
<i>lividus</i>	292
localities.	243
<i>longipennis</i>	326
<i>longipes</i>	306
lower sector of the triangle, pls. I, II and III.	
<i>luctuosa</i>	329
<i>lydia</i> (<i>Libellula</i>)	330
<i>lydia</i> (<i>Plathemis</i>)	235, 244, 333
<i>Macromia</i> , 307; <i>annulata</i> , 309; <i>georgina</i> , 307; <i>illinoensis</i> , 241, 297, 307, 308, 309; <i>pacifica</i> , 309; <i>taeniolata</i>	307, 308, 309
<i>maculata</i>	241, 251, 252, 253, 265
mandible, pl. IV, figs. 3 and 4.	
maxilla, pl. IV, fig. 4.	
median sector, pls. I, II and III.	
median space, pls. II and III.	
median vein, pls. I, II and III.	
<i>membranule</i> , pl. IV, fig. 1.	
mesepimeron, pl. IV, fig. 6.	
mesepisternum, pl. IV, fig. 6.	
mesinfraepisternum, pl. IV, fig. 6.	
<i>Mesothemis</i> , 325; <i>simplicicollis</i>	235, 236, 325
mesothorax, pl. IV, fig. 6.	
metasternum, pl. IV, fig. 6.	
metathorax, pl. IV, fig. 6.	
metepimeron, pl. IV, fig. 6.	
metepisternum, pl. IV, fig. 6.	
metinfraepisternum, pl. IV, fig. 6.	
mid-dorsal carina, pl. IV, fig. 6.	
<i>minusculum</i>	325
<i>minutus</i>	292
<i>multicincta</i>	303

	Page.
<i>Nannothemis</i> , 327; <i>bella</i>	327
<i>nasus</i> , same as <i>postclypeus</i> .	
<i>Nehalennia</i> , 265; <i>irene</i> , 265; <i>posita</i>	236, 240, 266
<i>Neurocordulia</i> , 312; <i>obsoleta</i>	312
nodal sector, pls. I, II and III.	
nodus, pls. I, II and III.	
<i>notatus</i>	294, 295
nymph, pl. IV, figs. 9 and 10	234
<i>obliquus</i>	235, 299, 300
<i>obscurus</i>	283
<i>obsoleta</i>	312
<i>obtrusum</i>	323
occiput, pl. IV, fig. 3.	
ocellus, pl. IV, fig. 3.	
Odonata, 233; classification of.	234
<i>onusta</i>	316
<i>Ophiogomphus</i> , 298; <i>rupinsulensis</i>	298
oviposition	236
ovipositor	236
<i>Pachydiplax</i> , 326; <i>longipennes</i>	326
<i>pacifica</i>	309
<i>pallidus</i>	291
<i>Pantala</i> , 314; <i>flavescens</i> , 237, 315; <i>hymenaea</i>	315
<i>Perithemis</i> , 317; <i>domitia</i> , 235, 317; <i>tenera</i>	317
<i>pilipes</i>	291
<i>piscinarium</i>	269, 273
<i>plagiatus</i>	294, 295
<i>Plathemis</i> , 333; <i>lydia</i> , 235, 244, 333; <i>trimaculata</i>	333
<i>pollutum</i>	269, 272, 276
<i>posita</i>	236, 240, 266
<i>postclypeus</i> , pl. IV, figs. 3 and 4.	
<i>postcosta</i> , pls. I, II and III.	
<i>postcubital</i> , pls. I, II and III.	
<i>posttriangular cells</i> , pls. II and III.	
preserving and collecting	239
<i>princeps</i>	310
principal sector, pls. I, II and III.	
<i>Progomphus</i> , 283; <i>obscurus</i>	283
pronotum, pl. IV, fig. 6.	
propleuron, pl. IV, fig. 6.	
prothorax, pl. IV, fig. 6.	
<i>proxima</i>	320
<i>pruinose</i>	235
<i>pterostigma</i> , pls. I, II and III, and fig. 8, pl. IV	233
<i>pulchella</i>	236, 237, 240, 332, 333
<i>putrida</i>	261, 262, 263, 264

	Page.
<i>quadricolor</i>	288
<i>quadriguttata</i>	300
quadrilateral, pl. I.	
<i>quadrinaculata</i>	241, 331
<i>quadrupla</i>	330
rear of head, pl. IV, fig. 4.	
<i>rectangularis</i>	259
rhinarium, same as anteclypeus.	
<i>rubicundulum</i>	235, 236, 322, 323
<i>rupinsulensis</i>	298
<i>saucium</i>	267
<i>scelerata</i>	255
second lateral suture, pl. IV, fig. 6.	
sectors of the arculus, pls. II and III.	
<i>sedula</i>	262, 263
<i>segregans</i>	296
<i>semiaquea</i>	310, 311
<i>semicinctum</i>	324
<i>semifasciata</i>	332
sex, distinguishing	243
short sector, pls. I, II and III.	
<i>signatum</i>	269, 275, 276, 277, 280
<i>simplicicollis</i>	235, 236, 325
<i>Somatochlora</i> , 312; <i>filosa</i> , 313; <i>libera</i> , 314; <i>linearis</i> , 313, 314; <i>tenebrosa</i>	312, 314
<i>sordidus</i>	292, 293
<i>spicatus</i>	292, 307
<i>spiniceps</i>	284, 295
<i>spinigera</i>	311
<i>spinosus</i>	296
<i>spoliatus</i>	297
subcosta, pls. I, II and III.	
submedian vein, pls. I, II and III.	
subnodal sector, pls. I, II and III.	
supplementary sector, pl. III.	
supratrangular space, pls. II and III.	
<i>Sympetrum</i> , 321; <i>albifrons</i> , 323; <i>assimilatum</i> , 322; <i>corruptum</i> , 321, 324; <i>minusculum</i> , 325; <i>obtrusum</i> , 323; <i>rubicundulum</i> , 235, 236, 322, 323; <i>semicinctum</i> , 324; <i>vicinum</i>	321, 323, 324
<i>Tachopteryx</i> , 281; <i>thoreyi</i>	241, 281
<i>taeniolata</i>	307, 308, 309
tarsal claws, pl. IV, fig. 2.	
tarsus, pl. IV, fig. 2.	
<i>tenebrosa</i>	312, 314
<i>tenera</i>	317
<i>teneral</i>	235

	Page.
<i>Tetragoneuria</i> , 310; <i>cynosura</i> , 310, 311; <i>lateralis</i> , 311; <i>semiaquea</i> , 310, 311; <i>spinigera</i>	311
thorax, pl. IV, figs. 1 and 6.	
<i>thoreyi</i>	241, 231
tibia, pl. IV, fig. 2.	
<i>tibialis</i>	262, 263
<i>Tramea</i> , 315; <i>carolina</i> , 316; <i>lacerata</i> , 315, 316; <i>onusta</i>	316
<i>transversa</i>	307
<i>traviatum</i>	269, 271
triangle, pls. II and III.	
<i>tricolor</i>	255
<i>trimaculata</i>	333
trochanter, pl. IV, fig. 2.	
tubercled, eye, pl. IV, fig. 5.	
ultranodal sector, pl. I.	
<i>umbratus</i>	292
<i>uncatus</i>	257
<i>unguiculatus</i>	257
upper sector of the triangle, pls. I, II and III.	
<i>vas-deferens</i>	236
<i>vastus</i>	287, 238
<i>ventricosus</i>	287
vertex, pl. IV, figs. 1, 3 and 5.	
<i>verticalis</i> (<i>Aeschna</i>)	304, 305
<i>verticalis</i> (<i>Ischnura</i>)	236, 240, 267, 277, 278, 279
vesicle of the male accessory genital organs, pl. VII, figs. 18, 19, 20 and 21 .	236
vesicle, frontal, same as vertex.	
<i>vibrans</i>	330
<i>vicinum</i>	321, 323, 324
<i>vigilax</i>	269, 260, 326
<i>villosipes</i>	291
<i>vinosa</i>	300
<i>violacea</i>	236, 262, 263, 326
vulva	236
vulvar lamina, pl. VII, figs. 16 and 17	236
wing, pls. I, II and III, and figs. 1 and 8, pl. IV.	
writings on dragonflies	238
<i>Zygoptera</i>	247

ERRATA. Dragonflies of Indiana.

- 231, l. 18, for *Dean* read *Deam*.
 244, l. 11 from bottom, for *interval between which* read *interval between, which*.
 249, l. 4, for *supplementasy* read *supplementary*.
 250, l. 13, for *front wing free* read *front wings free*.
 253, l. 2, for 1837 read 1839; l. 13, for *Massachusett* read *Massachusetts*.
 256, l. 20, for (*eurinus* Gr., read (*eurinos* Gr.,
 257, l. 5, for *primrose* read *pruinose*; l. 17, for 27, *h. w.* read 27; *h. w.*; l. 1 from bottom, for *sagments* read *segments*.
 258, l. 9, for *et al* read *et al.*; l. 11, for *after* read *often*; l. 21, for *primrose* read *pruinose*; l. 2 from bottom, for *male* read *males*.
 259, l. 1, for *noticeably* read *noticeably*; l. 10, for *VIII* read *VII*; l. 16, for *posteriorly* read *posteriorly*; l. 6 from bottom, for *distinguish* read *distinguishes*.
 260, ls. 6 and 26, for *primrose* read *pruinose*.
 261, l. 1, for *agrionines* read *Agriionines*; l. 14 from bottom, for *primrose* read *pruinose*; l. 7 from bottom, for *sutures black* read *sutures, black*.
 262, l. 18, for *ovipositing* read *depositing*; l. 5 from bottom, for *sutures black* read *sutures, black*.
 264, l. 13 from bottom, for *Dean* read *Deam*.
 270, l. 14 from bottom, omit , after *Illinois* and add , after (*Adams*), next line.
 273, l. 11, for 2, *very* read 2, *all excepting very*; l. 16 from bottom, for *Franz* read *Frantz*.
 274, l. 17, for *above the* read *above on the*; l. 19, add , after 9; line 25, add , after 10.
 276, l. 21 from bottom, for 36 read 86.
 278, l. 2, omit 7; l. 11 from bottom, for *vertel* read *vertex*.
 280, l. 8, for *has* read *have*; l. 14, for *makes* read *marks*.
 284, l. 2, change . to , after *Selys*; l. 16, for *or* read *of*; l. 25, omit . after *Selys*.
 285, l. 1, omit . after *Selys*; l. 8 and 11, for *VII* read *VI*; l. 6 from bottom, for *meso-thorax* read *mesothorax*.
 289, l. 6, add , after *May 5*.
 292, after l. 17, add *G. LIVIDUS Selys, Mon. Gomph., p. 150, 1858 (male only)*.
 295, l. 12, add . after 39.
 297, between l. 12 and l. 13, add *Ab. male 45, female 47; h. w. male 36, female 38*.
 301, l. 12, add . after *Syn*; l. 4 from bottom, add . after *p*.
 302, l. 6 from bottom, for 185 read 285.
 305, l. 13 from bottom, add . after *h*.
 308, l. 5 from bottom, for *Osborn* read *Osburn*.
 319, l. 19, for *deep* read *dark*.
 321, l. 2, for *Diplex* read *Diplax*; l. 14 from bottom, for *sympiedgo* read *sympiedzo*.
 322, l. 11, for *Rubicundulum* read *rubicundulum*.
 323, l. 13, for *rubicundula* read *rubicundulum*.
 325, l. 19 from bottom, for *becomes* read *become*.
 326, l. 15, add *Gr.*, after *diplax*.
 329, l. 7 from bottom, for *aureus L.* read *aureus L.*,
 330, l. 5, for *L. incesta* read *L. incesta*; l. 7 from bottom, add . after 1775.
 333, l. 7 and 8, enclose *pulchella* in ().